

System solutions


# Retail chains

**KAMPMANN**  
Genau mein Klima.



# Your strong partner!





That's a promise! From the design stage in our technical department to field sales and after-sales service, we're right at your side. Take advantage of our many years of experience from over 1000 installations every year across Europe.





# Your one-stop service

Don't waste time coordinating different trades.  
Kampmann is your qualified partner for all  
cross-trade systems.





# Create the mood for shopping!



Customers will feel at ease in your store from the moment they step through the door. Barely audible and easy to operate Kampmann technology creates an individual atmosphere of well-being.





# You require – we deliver

You need project-specific solutions? Whether air flow, heat output or noise level: we'll coordinate every concept solution precisely to your requirements.





# Enhancing the value of your building

Sustainability is good. Certification is better. As a GreenBuilding endorser, we are very concerned about enhancing the market value of your property. Please contact us to discuss your individual, energy-saving building concept!





# Standards and guidelines?

You move with the times – we do too. You'll always be up-to-date with the latest generation of Kampmann units.



6/6



Features




Details






Control





- 1 Airblock C
- 2 KaCool D
- 3 Ultra
- 4 Chillers
- 5 Tandem
- 6 Entrance matting
- 7 Powerkon NT
- 8 ProtecTor
- 9 TIP
- 10 Airblock FG
- 11 Planeck





# Perfect reception

## Door air curtains


- ▶ For controlled screening of open doors
- ▶ Tandem technology for 38 % energy savings
- ▶ Payback within a year compared with conventional units
- ▶ Heating with LPHW or refrigerant
- ▶ A mounting height of up to 4.0 metres is possible
- ▶ Comprehensive range to meet different requirements




Tandem  
air curtain



ProtecTor  
door air curtain



Features



Details




Control




# Perfect reception

## Entrance matting


Inside or outside: our high-quality entrance matting makes entrance areas appear prestigious, spacious and welcoming.




KaFloor  
Entrance matting



Features



Details



Control




# Ultra-economical:

## Centralised supply fresh air ...


- ▶ Controlled ventilation of shopping centres, retail space etc. with the different versions of the Kampmann Airblock
- ▶ Air volumes for retail outlets ranging from 100 to over 10000 m<sup>3</sup>
- ▶ Up to 90 % heat recovery



Airblock KG




Features



4/9

Details



Control



# Ultra-economical:

## ... with decentralised air handling

- ▶ Complementary to centrally processed fresh air when in the open sales floor or within a false ceiling, the perfect solution for every application
- ▶ Heating and cooling in one unit? - This is possible with a number of Kampmann units, for instance with TOP unit heaters, Ultra and Planeck units
- ▶ Extremely economical due to very low current consumption (< 100 W at low speed)
- ▶ A number of units are now also available with new, energy-efficient EC technology
- ▶ With a wide output range
- ▶ Also suitable for low temperature operation



TOP



Ultra



Planeck



Features





5/9

Details



Control





Features



Details



Control





# Good temperatures with LPHW/CHW by the use of Kampmann chillers




- ▶ On request in conjunction with heat-pump functionality with cooling units, in the office areas
- ▶ Provide for an optimum interior environment
- ▶ Economically high cooling outputs using water as an environmentally friendly, flexible and cost-effective medium
- ▶ Energy-optimised and cost-saving with free cooling
- ▶ A wide variety of models for indoor and outdoor installation and/or wall- or ceiling-mounted



Chiller



KaCool D








# Pleasant climate for staff and social rooms with Powerkon NT

- ▶ Market-leading in terms of low noise
- ▶ Designed for use with low water temperatures
- ▶ Ultra-versatile in terms of length and appearance
- ▶ Heating with minimal energy
- ▶ Cooling mode possible (dry cooling)
- ▶ EC future-centric technology for long-term energy savings
- ▶ Optimum interaction with the innovative KaControl



Powerkon NT








# Overpressure systems

- ▶ DIN 10505? Yes please!
- ▶ Airblock FG for overpressure ventilation in food retailers
- ▶ Ideal for sales counters Fresh meat, fresh fish, deli etc.
- ▶ Constant discharge control for fresh air overpressure systems
- ▶ Concealed within the suspended ceiling or in adjacent rooms





Airblock FG





# Everything under control with KaControl



Features




Details



Control



# KaControl AUL control panel





## Control panel with touch screen user interface

- ▶ System control unit
- ▶ Quick access functions
- ▶ Inter-room operating and control function
- ▶ Configuration and parameterising tool



## Panel with plain text display

- ▶ System control unit
- ▶ Inter-room operating and control function
- ▶ Configuration and parameterising tool





# Benefits for you!

Experts with their experience team are available to you in our Key Account section. They will assist you in all aspects of your design.

And our field sales team is always local to you!

With Kampmann you can rely on the service benefits that come with a family run business: for over 40 years.

Find your contact person here:

[Kampmann.eu/contact](https://kampmann.eu/contact)



Features



Details




Control



Best solutions. Best support.

Kampmann.eu



## Kampmann GmbH

Friedrich-Ebert-Str. 128 – 130

49811 Lingen (Ems)

Germany

**T** +49 591 7108-660

**T** +49 591 7108-173

**E** export@kampmann.de

**W** Kampmann.eu



Features



Details



Control

**KAMPMAN**  
Genau mein Klima.